

Prepared for:

BARKSY

191 University Blvd
Denver, CO USA 80206

250 mg Barksy Bacon

Batch ID or Lot Number: 95718	Test: Potency	Reported: 13Oct2023	USDA License: N/A
Matrix: Unit	Test ID: T000258534	Started: 11Oct2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10Oct2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.378	4.852	15.990	0.60	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	1.260	4.438	ND	ND	
Cannabidiol (CBD)	4.605	13.273	283.940	10.10	
Cannabidiolic Acid (CBDA)	4.724	13.613	ND	ND	
Cannabidivarin (CBDV)	1.089	3.139	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.970	5.679	ND	ND	
Cannabigerol (CBG)	0.782	2.755	13.410	0.50	
Cannabigerolic Acid (CBGA)	3.271	11.517	ND	ND	
Cannabinol (CBN)	1.021	3.594	ND	ND	
Cannabinolic Acid (CBNA)	2.232	7.858	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	3.897	13.721	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.539	12.461	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.135	11.041	ND	ND	
Tetrahydrocannabivarin (THCV)	0.712	2.506	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.766	9.738	ND	ND	
Total Cannabinoids			313.340	11.20	
Total Potential THC			0.000	0.00	
Total Potential CBD			283.940	10.10	

Final Approval



Karen Winternheimer
13Oct2023
11:03:00 AM MDT

PREPARED BY / DATE



Sam Smith
13Oct2023
11:04:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uiid/458170c4-515c-4aa4-9eb6-ba01a9693768>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

458170c4515c4aa49eb6ba01a9693768.1